



THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO ARCOPLAST. ALL COPYRIGHTS AND OTHER PROPRIETARY RIGHTS APPLICABLE SHALL REMAIN AT ALL TIMES ARCOPLAST'S PROPERTY. DOCUMENTS SHALL NOT BE USED, COPIED OR HARVESTED FROM THE CAD FILE, THE INFORMATION CONTAINED WITHIN WITHOUT THE WRITTEN CONSENT OF ARCOPLAST. DOCUMENTS, DESIGNS, DRAWINGS AND SPECIFICATIONS ARE CONCEPTUAL IN NATURE AND ARE INTENDED TO SET FORTH DESIGN INTENT ONLY AND ARE NOT TO BE USED FOR ENGINEERING PURPOSES.



SECTION

18 GAUGE GALVANIZED METAL WOOD STUD BACKER
1-1/2" (38.1 mm) x 1-1/2" (38.1 mm) x CONTINUOUS LENGTH
LOCATED ON WOOD WALL STUDS TO PROVIDE
SOUND ADHESION OF BONDING TAPE AND ADHESIVE

DRYWALL SCREW TO ATTACH METAL BACKERS
1.25" (31.76 mm) @ 12" (30 cm) O.C. (TYP.)
OPTIONAL LOCATION OF FACE OR SIDE



SECTION

WOOD STUD METAL BACKER DETAILS

DWG # SS-2	SCALE 12" (1:1)				 1873 WILLIAMSTOWN DRIVE ST. PETERS, MISSOURI USA 63376 T: 888-736-2726 F: 636-978-7782
DATE 2/20/2020	CHECKED GB	WALL AND CEILING SYSTEMS			

WWW.ARCOPLAST.COM